Application/Control Number: 10/556,648 Page 2

Art Unit: 1797

2.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Amendments to the Claims:

The application has been amended as follows:

Claim 10, line 1: replace "1" with -9--.

* * *

- 3. The above change was made to correct a typographical error in claim 10 since it depended from a cancelled claim. This change was not made in view of any prior art issues.
- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley in Art Unit 1797 whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri.. The

Application/Control Number: 10/556,648 Page 3

Art Unit: 1797

fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Charles E. Cooley/

Charles E. Cooley Primary Examiner Art Unit 1797

26 October 2009